



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov



Bib Data Sheet

CONFIRMATION NO. 1417

<b>SERIAL NUMBER</b> 10/795,956	<b>FILING OR 371(c) DATE</b> 03/08/2004 <b>RULE</b>	<b>CLASS</b> 600	<b>GROUP ART UNIT</b> 3762	<b>ATTORNEY DOCKET NO.</b> 2395-00033
------------------------------------	---	---------------------	-------------------------------	--

## APPLICANTS

David W. Mortara, River Hills, WI;

## \*\* CONTINUING DATA \*\*\*\*\*

This application is a DIV of 09/634,271 08/08/2000 PAT 6,850,796 which claims benefit of 60/151,614 08/31/1999

## \*\* FOREIGN APPLICATIONS \*\*\*\*\*

IF REQUIRED, FOREIGN FILING LICENSE GRANTED \*\*  
 05/26/2004

\*\* SMALL ENTITY \*\*

Foreign Priority claimed <input type="checkbox"/> yes <input checked="" type="checkbox"/> no 35 USC 119 (a-d) conditions met <input type="checkbox"/> yes <input checked="" type="checkbox"/> no <input type="checkbox"/> Met after Allowance Verified and Acknowledged <u>Examiner's Signature</u> <u>Initials</u>	<b>STATE OR COUNTRY</b> WI	<b>SHEETS DRAWING</b> 8	<b>TOTAL CLAIMS</b> 12	<b>INDEPENDENT CLAIMS</b> 2
--	-----------------------------------	--------------------------------	-------------------------------	------------------------------------

## ADDRESS

DAVID M. MORTARA  
 MONTARA INSTRUMENT, INC.  
 7865 N. 86TH STREET  
 MILWAUKEE, WI53224

## TITLE

Method and apparatus to optimally measure cardiac depolarization/repolarization instability

<b>FILING FEE RECEIVED</b> 385	FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following:	<input type="checkbox"/> All Fees <input type="checkbox"/> 1.16 Fees ( Filing ) <input type="checkbox"/> 1.17 Fees ( Processing Ext. of time ) <input type="checkbox"/> 1.18 Fees ( Issue ) <input type="checkbox"/> Other _____ <input type="checkbox"/> Credit
---------------------------------------	---	---